



Moth Trapping Report

Summary

Location:	Stoke-sub-Hamdon (ST4817)
Date:	27/10/2025
Trap(s):	MV Robinson Trap
Recorders(s):	Chris Chapman
Moth Count:	76
Species Count:	19
Non-species Count:	1

Full List

Species	Count	Type	Comment
Barred Sallow (<i>Tiliacea aurago</i>)	3	Macro	Resident. The larval foodplants are maple and beech.
Beaded Chestnut (<i>Agrochola lychnidis</i>)	26	Macro	Resident. The larvae feed on unspecified grasses and low growing plants.
Black Rustic (<i>Aporophyla nigra</i>)	1	Macro	Resident. Larvae feed on heather, petty whin, dock, dandelion and foxglove.
Brindled Green (<i>Dryobotodes eremita</i>)	1	Macro	Resident. Larvae feed on oak.
Clifden Nonpareil (<i>Catocala fraxini</i>)	1	Macro	An immigrant and suspected resident since 2001 or 2005. Adults have been associated with aspen and poplar.
Dark Arches (<i>Apamea monoglypha</i>)	1	Macro	
Feathered Thorn (<i>Colotois pennaria</i>)	2	Macro	
Green-brindled Crescent (<i>Allophyes oxyacanthae</i>)	2	Macro	Resident. Larvae feed on hawthorn, sloe and garden apple.
Large Yellow Underwing (<i>Noctua pronuba</i>)	3	Macro	Resident reinforced by regular immigration. Larvae feed on unspecified garden vegetables and flowers.
Lesser Yellow Underwing (<i>Noctua comes</i>)	1	Macro	A resident species reinforced by episodic immigration. Larvae feed on dock, primrose, nettle, honeysuckle, willowherb and garden arum.
Merveille du Jour (<i>Griposia aprilina</i>)	6	Macro	Resident. Larvae feed on oak.
November Moth agg. (<i>Epirrita dilutata</i> agg.)	1	Micro	
Red-green Carpet (<i>Chloroclysta siterata</i>)	3	Macro	Resident. Larvae feed on oak, ash, apple and willow.
Red-line Quaker (<i>Leptologia lota</i>)	1	Macro	Resident. The larvae feed on Sallow and willow (including grey willow).
Sallow (<i>Cirrhia icteritia</i>)	1	Macro	
Snout (<i>Hypena proboscidalis</i>)	1	Macro	Resident. Larvae feed on stinging nettle.
Turnip Moth (<i>Agrotis segetum</i>)	3	Macro	Resident sometimes reinforced by immigration. Larval foodplants are the roots of turnips and swedes and some other garden and farm crops.
Vine's Rustic (<i>Hoplodrina ambigua</i>)	8	Macro	Resident and immigrant species. The larval foodplant has not been recorded in Sussex.
White-point (<i>Mythimna albipuncta</i>)	10	Macro	Immigrant and episodic resident. Larvae feed on unspecified

Species	Count	Type	Comment
			grasses.
Yellow-line Quaker (<i>Leptologia macilenta</i>)	1	Macro	Resident. The larvae feed on oak, beech and hawthorn.

Images



Clifden Nonpareil (*Catocala fraxini*)



Dark Arches (*Apamea monoglypha*)



Feathered Thorn (*Colotois pennaria*)



Green-brindled Crescent (*Allophyes oxyacanthae*)



Lesser Yellow Underwing (*Noctua comes*)



Merveille du Jour (*Griposia aprilina*)

Notes

You can see more details of each species from the [UK Moths website](#) by clicking on the name of the species. This doesn't apply to records at genus level or aggregates.

Produced by Chris Chapman ([Plumpton & East Chiltington Wildlife Group](#))